

**MODERN ISSUES**

			UD, penalty	5.00	3307-45	MT, CC	17.50
			3289-43 MT, CC	125.00	3307a-43	MT	3.00
					-45	MT, CC	25.00
	U522		U532b			MT, PC	5.00
3254	MT	2.00	3290-43 MT	35.00	-46	MT, PC	3.00
3255	MT	2.00		25.00	3308-42	MT	17.50
3256	MT	2.00	-45 MT, CC	8.50	3309-43	MT, CC	15.00
	U522a			6.00	-45	MT, CC	15.00
3257	MT	10.00	3290a-43 MT	3.00		UD, small tear	4.00
	U523		-45 MT, CC	40.00		U533a	
3258	MT	1.25		2.50	3310-45	MT	1.75
3259	MT	1.25	3291 MT, CC	40.00	-46	MT	25.00
	UD, FDC	15.00		20.00		MT, CC	22.50
3260	MT	1.25	3292-43 MT, CC	9.00	3311-42	MT	2.00
	U524		3292a-45 MT, CC	12.50	3312-45	MT	1.50
3261	MT	2.00	3293-46 MT, PC	3.00	3313-44	MT, CC	7.00
3262	MT	2.50	3294-43 MT, CC	9.00		U533b	
3263	MT	3.50	-45 MT, CC	10.00	3314-46	MT, CC	75.00
	U525			7.00		UD	45.00
3264	MT	.30	3294a-43 MT	2.50	3315-45	MT	4.00
3265	MT	1.00	-45 MT, CC	25.00	-46	MT	2.50
3266	MT	.30		2.50		U533	
	U525a		-46 MT, CC	3.75	3316-43	MT, CC	2.00
3268	MT	68.00	3295-42 MT, CC	25.00	-45	MT	2.00
	UD	25.00		12.50	3317-42	MT	1.50
3269	UD, lite bend UL, RARE size	100.00	-44 MT, CC	12.50	-44	MT, CC	2.50
			3296-43 MT, CC	17.50	3317a-44	MT, CC	10.00
3270	UD	50.00		10.00		UD	5.00
	U526			7.50	3318-43	MT, CC	10.00
3271	MT	2.50	-45 MT, CC	50.00	-45	MT, CC	2.50
3272	MT	6.00		20.00	3318a-46	MT, CC	4.50
3273	MT	2.50	3296a-43 MT, CC	15.00	3319	MT, CC	25.00
	U527			10.00	3319a	MT	3.00
3274	MT	20.00	-45 MT, CC	15.00		UD	2.00
	MT, flty	7.50	3297-45 MT, CC	9.00	3320-46	MT, CC	6.50
	U528		3297a-43 MT, PC	4.00	3321-43	MT	1.50
3275	MT	3.00		3.00	-45	MT	1.00
3276	MT	5.00	-45 MT, CC	50.00	-46	MT	1.00
	U532			3.00	3321a-45	MT, CC	75.00
3277-42	MT, CC	9.00	-46 MT, PC	3.00	-46	MT, CC	5.00
3278-43	MT, CC	9.00		2.00	3322-42	MT	1.25
3278a-43	MT, CC	10.00	3298 MT, PEN	200.00	-44	MT, CC	1.50
3279-42	MT	7.50	3299-43 MT, CC	8.50	3322a	MT	75.00
	UD	4.00	-45 MT, CC	8.50	3323-43	MT, CC	6.00
	-44 MT, CC	75.00	3299a-43 MT, CC	15.00		UD	3.00
3280-43	MT, CC	10.00	-45 MT, CC	15.00	-45	MT, CC	3.50
3281-44	MT, CC	15.00		7.00		UD	2.00
	UD, PC	4.00			-46	MT, CC	3.50
	U532a		3300-45 MT, CC	12.50	3323a-46	MT, CC	3.00
3282-43	MT, CC, w/added 2c coil as usual	50.00		7.50	3324-43	MT, CC	2.50
	MT, PEN	40.00	3300a-43 MT, CC	7.00		UD	1.50
	MT, PEN, rubber stamp			1.50	3325-43	MT, PEN	35.00
	CC	35.00	-45 MT, CC	15.00		UD	95.00
	UD	50.00	3301-42 MT	4.50		UD, Penalty 1959 Usage	35.00
	UD, PEN	25.00	-44 MT, CC	4.50	-45	MT, CC	10.00
3282a-43	MT, CC	12.00	3302-43 MT, CC	4.50		UD	7.00
	UD	6.00	-45 MT, CC	4.50	3325a-43	MT, CC	10.00
3283-42	MT	9.00	3303-46 MT, CC	25.00		UD	7.50
	MT, PEN	3.50		22.50	-45	MT, CC	5.00
3284-43	MT, CC	17.50	3304-43 MT, CC	6.50	3326-42	MT, CC	2.00
	UD, CC	10.00		2.50	-44	MT, CC	15.00
3285-43	MT, CC	200.00	-45 MT	4.00		UD	7.00
	MT, CC light toning	50.00	3304a-43 MT	3.00	3326a-42	MT, CC	10.00
3286-42	MT, CC	8.50	-45 MT, CC	25.00	3327-43	MT, CC	10.00
3287-43	MT, CC	100.00		3.00	-45	UD	35.00
	UD, few sm flts	25.00	-46 MT, CC	2.50	3328-43	MT	3.00
	UD, wrinkles	20.00	3305-42 MT	5.00	-45	MT	1.00
3287a-43	MT, CC	20.00	-44 MT	17.50	-46	MT	1.75
	UD	3.75	3306-43 MT, CC	5.00		MT, CC	12.50
3288-42	MT, CC	9.00	-45 MT, CC	15.00			

-46	MT, CC	12.50	3360-42	MT	.75	3381-43	MT, CC	2.50
	MT, CC, PC	3.00	-44	MT	3.00	-45	MT, CC	1.00
	UD	8.00		UD	1.75	-46	MT	1.00
3329-42	MT	1.50	3361-43	MT	15.00	3382-43	MT, CC	4.00
-44	MT	1.50		UD	7.50	-45	MT	.75
3329a-42	MT, CC	7.50	-45	MT, CC	12.50	-46	MT	.75
-44	MT, CC	5.00		UD	6.00	-47	MT, CC	.75
3330-43	MT, CC	2.00	-46	MT, CC	30.00	3382a-46	MT, CC	2.50
-45	MT, CC	4.00		UD	15.00	3383-43	MT	10.00
	UD	2.00	3362-46	MT	.75		UD	6.00
3331-43	MT	4.00	-47	MT	.75	-45	MT	3.25
-45	MT, CC	2.50	-48	MT, CC	1.00	-46	MT	1.50
3332-42	MT	3.50	3362a-46	MT, CC	1.00	3384-42	MT, CC	50.00
-44	MT, CC	7.50	3363-46	MT	.60		UD	35.00
	U533c		-47	MT	25.00	-44	MT	75.00
3333-45	UD	100.00		UD	17.50		UD	50.00
-46	MT, CC	20.00	3363a-46	MT, CC	4.50	3385-43	MT, CC	3.50
3334-46	MT, PC	1.00	3364-43	MT, CC	75.00	-45	MT	.75
3336-43	MT, CC	50.00		UD	50.00	-46	MT, CC	.75
	UD	35.00	-45	MT	.75	-47	MT, CC	2.50
-45	MT, CC	2.00	-46	MT	.75		U536	
3337-45	MT, CC	7.00	3365-42	MT	1.50	3386-46	MT	.75
-46	MT, CC	6.00	-44	MT	2.00	-47	MT	.75
3337a-46	MT, CC	8.00	3366-43	MT, CC	5.00	-48	MT	.75
	UD	6.00	-45	MT	1.00	3387-46	MT	.75
3338-45	MT, CC	27.50	-46	MT	.75	-47	MT	.75
	UD	17.50	3367-43	MT, CC	2.00	-48	MT	.75
-46	MT, CC	22.50	-45	MT, CC	7.00		U536a	
	MT, PC	3.25		UD	6.00	3388-46	MT	.75
3339-43	MT	15.00	3368-43	MT, CC	2.50	-47	MT	1.75
-45	MT, CC	5.00	-45	MT	1.00	-48	MT	2.00
-46	MT, CC	40.00	3369-42	MT	2.00	3388a	MT, CC	20.00
	UD	12.50	-44	MT	2.00	3389-46	MT	.75
	U534a		3370-43	MT, CC	3.00	-47	MT	1.75
3340-43	MT, CC	50.00		UD	2.50	-48	MT	1.25
3341-42	MT	9.00	-45	MT, CC	1.00	3390-46	MT	1.50
	MT, CC	7.50	-46	MT, CC	2.00	-48	MT	1.00
-43	MT, CC	22.50		UD	1.50	3391-48	MT	7.50
3343-42	MT	2.50	3371-43	UD	1.25	3392-46	MT	2.25
3344-43	MT, CC	5.00	-45	MT	.75	3393-46	MT	3.50
3345-42	MT, CC	6.50	-46	MT	.75	3394-46	MT	.75
	U534b		-47	MT	1.50	-47	MT, CC	2.00
3346-43	MT	2.00	-48	MT	1.50	3395-46	MT	.75
3347-42	MT	2.00	3371a-46	MT, CC	1.50	-47	MT	.75
3348-43	MT, CC	2.00	3372-42	MT	2.00	-48	MT	.75
3349-42	MT	2.00	-44	MT	2.50	3396-46	MT	.75
3350-43	MT, CC	2.00	3373-43	MT, CC	4.00	-47	MT	.75
3351-42	MT, CC	2.00		UD	2.50	-48	MT	1.50
	U534c		-45	MT	1.00		U536b	
3352-43	MT	2.00	-46	MT	.75	3397-46	UD	60.00
-45	MT	1.25	3373a-46	MT, CC	1.75		UD, repaired tear at top	
3353-42	MT	1.75	3374-43	MT	8.50			20.00
-44	MT	1.75	3375-42	MT	2.50	-47	MT	4.50
3354-46	MT	1.50	-44	MT	3.50		UD	3.00
3355-43	MT, CC	1.30		U534d		-48	MT	7.00
-45	MT	1.00	3376-43	MT, CC	8.00	3398-46	MT, CC	1.00
-46	MT	1.00		UD	4.00	-47	MT, CC, reverse fold	15.00
3356-42	MT	1.50	-45	MT	1.00		MT	1.00
-44	MT	1.50	-46	MT, CC	15.00	-48	MT	2.00
3357-43	MT, CC	15.00		UD	9.00	3399-46	MT	1.50
	UD	7.00	3377-46	MT	4.50	-48	MT	1.25
-45	MT	1.00	3378-46	MT	4.00	3400-48	MT, CC	40.00
-46	MT	1.00	-47	MT	1.00		UD	20.00
-47	MT	1.25	3378a-46	MT, CC	2.00	3401-46	MT	5.00
-48	MT	2.00	3379-43	MT, CC	20.00	3402-46	MT, CC	4.50
3358-42	MT, CC	2.50		MT, PA	12.50	3403-46	MT	1.00
-44	MT, CC	1.75		UD	10.00	-47	MT	1.00
	UD	1.75	-45	MT, CC	3.00	3404-46	MT	7.50
	U534		-46	MT	1.50		UD	3.00
3359-45	UD	60.00	3380	UD	70.00	3405-46	MT	.75

-47	MT, CC	.75	3441-45	MT	1.75	3477a-46	MT	1.00
-48	MT, CC	75.00	-46	MT	6.00	-47	MT	1.25
	U537			UD	7.50	3478-46	MT	1.00
3406-43	MT	3.50	3442-43	MT	1.50	-47	MT	1.25
	UD	10.00	-45	MT	1.50	-48	UD	175.00
3407-42	MT	3.50	-46	MT	3.00		U541a	
3408-43	MT	4.00		U539		3479-47	MT, PC	1.75
3409-42	MT	3.50	3443-41	MT	12.00	-48	MT, PC	6.00
3412-43	MT	125.00	3444-43	MT	15.00		UD	7.00
3413-42	MT	5.00	3445-42	MT	30.00	3480-47	MT	1.75
3414-43	MT	4.50	3446-43	MT	25.00	-48	MT, CC, PC	45.00
	UD	12.50		U539a			MT, partially scratched	
3415-39	MT	5.00	3447-41	MT	10.00		out CC	25.00
	U537a			UD, May 1959, uncommon	50.00		UD, PC	30.00
3416-43	MT	14.00					U542	
3417-42	MT	16.00		UD, 1962 use, small		3481-46	MT	1.00
	U537b			fit right edge,		3481a-46	MT	1.00
3418-39	MT	4.50		uncommon	25.00	3482-46	UD	10.00
	UD	10.00		U539b		-47	MT	1.00
3419-36	MT	20.00	3448-43	MT	15.00	-48	UD	150.00
-39	MT	6.00	3449-43	MT	16.00	3483-46	MT	1.50
	UD	12.50	3450-41	MT	50.00	3484-46	MT	1.00
3420-43	MT	100.00	3451-43	MT, CC	75.00	3485-46	MT	1.50
	MT, small fit top center		3452-41	MT, CC, RARE	200.00	3485a-46	UD	7.00
		50.00		U540		-47	MT	1.00
3421-43	MT	5.00	3454-43	MT	10.00	-48	MT, PC	50.00
3422-36	MT	10.00	-45	MT	2.50		UD, PC	40.00
-39	MT	23.00	3455-44	MT	3.00	3486-46	MT	1.75
	U538		3456-46	MT	.50		U543	
3423-45	MT	1.00	3457-45	MT	3.00	3487-46	MT	.75
-46	MT, CC	200.00	-46	MT	.50		MT, broken leg	1.00
	UD, RARE	150.00	3458-45	MT	3.00		U544a	
3424-45	MT	1.50	-46	MT, Triple overprint,		3488-47	MT	1.25
	U538a			some red ink strokes		-48	MT	1.25
3425-46	MT, RARE	150.00		at top left	75.00	3489-47	MT	1.25
	MT, light toning	50.00		MT	.50	-48	MT	1.25
3426-45	MT	4.00		U540b			U544	
-46	MT	5.00	3459-44	MT	1.50	3490-47	MT	1.25
	U538b		3460-45	MT	1.50		MT, Albino, extra side	
3427-43	MT	1.50	3461-46	MT	1.00		flaps, interestin	25.00
-45	MT	1.50	3462-46	MT	1.00	-48	MT	1.25
3428-42	MT	25.00	3463-45	MT	1.50	3490a-47	MT	90.00
-44	MT	1.50	-46	MT	.75		MT, SF	65.00
3429-43	MT	25.00	3464-45	MT	4.50	3491-47	MT	1.25
-45	MT	2.75	-46	MT	.75	-48	MT	1.25
3430-46	MT	8.00	3465-43	MT	8.00	3492-48	MT	1.25
3431-46	MT	8.00	-45	MT	1.00	3493-48	MT	1.25
3432-43	MT	3.50	-46	MT	.75	3494-47	MT, CC	1.75
-45	MT	1.25	3466-45	MT	20.00	3495-47	MT	1.25
-46	MT	1.25	-46	MT	.75	-48	MT	1.25
3433-42	MT	2.50	3468-45	MT	.75	3496-47	MT	1.25
-44	MT	15.00	-46	MT	.75	-48	MT	1.75
	UD	15.00		U540c			U544b	
3434-43	MT	15.00	3469-43	MT, blackout CC	75.00	3497-47	MT	7.00
-45	MT	2.75	-45	MT	1.75		MT, albino	12.50
-46	MT	3.50	-46	MT	3.50		UD	7.50
3435-43	MT	3.50	3470-46	MT	8.00	-48	MT	5.00
-45	MT	1.25	3471-46	MT	3.00		UD	6.00
3436-43	MT	5.00	3472-46	MT	3.00	3498-47	MT	1.00
	UD	6.00	3473-45	MT	2.00	-48	MT	12.00
-45	MT	2.75	-46	MT	1.00		UD	10.00
-46	MT	1.25	3474-43	MT, RARE	200.00	3499-48	MT	1.00
	MT, albino	7.50	-45	MT	1.00	3500-47	MT	50.00
3437-42	MT	3.00	-46	MT	2.50		UD	40.00
-44	MT	3.00	3475-46	MT	1.25	-48	MT	2.00
3438-43	MT	3.50	3476-45	MT	1.00	3501-47	MT	2.00
-45	MT	1.75	-46	MT	.85	3502-47	MT	1.00
	U538c			UD, Jul 22, 1958	25.00	-48	MT	1.00
3440-43	MT	4.00		U541		3503-47	MT	1.00
-45	MT	1.00	3477-46	MT	1.25	-48	MT	1.00

3504-48	MT	2.00	-49	MT	1.50	-49	MT	1.00
3505-48	MT	1.00	-50	MT	2.00	3546-47	MT	.60
	U545			U550a		-48A	MT	1.25
3506-47	MT	1.50	3525-47	MT	2.50	-49	MT, CC	1.00
-48	MT	1.50	-50	MT	2.00	3546a-47	MT	4.00
3506a-47	MT	1.50	3526-48	MT	2.50	-48A	MT, CC	7.50
-48	MT	1.70	-49	MT	7.50	-49	MT	1.50
3506b-47	MT	1.50	3527-47	MT	20.00	3547-47	MT	1.00
-48	MT	1.50	-48	MT	2.50	-48A	MT	1.00
3507-47	MT	1.50	-49	MT	20.00	-49	MT, CC	1.50
-48	MT	1.50	3528-49	MT	2.50	3548-47	MT	2.00
3507-48	MT	1.50		U551		-48A	MT, CC	1.50
3507a-48	MT	1.50	3529-47	MT	1.00	-49	MT, CC	2.50
3507b-47	MT	2.00	-48	MT	4.50	3548A-49	MT	7.50
-48	MT	2.00	-48	UD	5.00		U561	
	U546		-48A	MT	1.00	3549-47	MT	1.25
3508-47	MT	100.00	-49	MT	1.00	-48A	MT	1.00
-48	MT	.75	3530-47	MT	2.25	-49	MT	1.25
	U547		-48	MT	1.50	3550-47	MT	1.25
3509-48	MT, CC	1.50	-49	MT	1.25	-48A	MT	9.00
-49	MT	.85	3530a-47	MT	1.50		UD	4.00
-50	MT, CC	1.50	-48	MT	1.75	3551-47	MT	1.00
3510-47	MT	5.00	-48A	MT	2.50	-48A	MT	1.00
-48	MT	1.50	-49	MT	1.50	-49	MT	1.00
-49	MT	1.00	3531-47	MT	1.25	3552-47	MT	1.75
-50	MT	3.50	-48	MT	1.25	-49	MT	1.75
	U548		-48A	MT	1.25		U562	
3511-49	MT	1.00	-49	MT	1.25	3553-47	MT	50.00
3512-47	MT	1.00	3531a	MT, Dark Gray Green	200.00	FDC		20.00
-48	MT	1.25	3532-49	MT	5.00	-48A	MT	5.00
-49	MT	1.50	3532a-47	MT	5.00	-49	MT	2.50
	U548a		-48A	MT	4.50		U563	
3513-47	MT	1.00	-49	MT	1.25	3554-47	MT	.75
-48A	MT	2.50		U552		-48A	MT	2.75
-49	MT	6.00	3533-48	MT, RARE	50.00	-49	MT	.75
3514-47	MT	1.50		UD	35.00	3555-47	MT	5.00
-48A	MT	2.50	-49	MT	3.50	-48A	MT	.75
-49	MT	1.00	-50	MT	3.00		U564	
	U556		3534-48	MT	3.00	3556-47	MT	3.00
3515-48A	MT	.75	-49	MT	4.00	-48A	MT	.75
-49	MT, CC	3.50	3535-47	MT	3.00		U565	
3516-47	MT	1.50	-48	MT	5.00	3557-47	MT	.75
-48A	MT	.75	-49	MT	5.00	-49	MT	.75
-49	MT	1.50	3535a-47	MT	6.00		U566	
3517-48	MT	1.25	3536-49	MT	3.50	3558-47	MT	.75
-49	MT	1.00		U553		-49	MT	.75
-50	MT	1.75	3537-48	MT	2.50	3559-47	MT	1.50
3518-48	MT	1.25	-49	MT	3.00	-48A	MT	.75
-49	MT	1.25	-50	MT	4.00	-49	MT	1.50
-50	MT	2.00	3538-48	MT	2.00	3560-47	MT	.75
3519-48	MT	1.00	-49	MT	2.75	3661-47	MT	.75
-49	MT	1.25		U553a			U567	
-50	MT	2.00	3539-47	MT	4.50	3562-47	MT	2.00
3520-48	MT	2.50	-48	MT	2.75	-48A	MT	7.50
-49	MT	1.25	-49	MT, 4 found	250.00	-49	MT	8.00
	U550		3540-47	MT	2.75	3563-47	MT	1.00
3521-47	MT	50.00	-49	MT	1.75	-48A	MT	12.50
	UD	35.00	3541-49	MT	3.75	3564-47	MT	1.00
-48	MT	1.00		U553a		-48A	MT	.75
-49	MT	1.00	3542	MT, 2c ON 5c	500.00	-49	MT	.50
-50	MT	1.50		U554		3565-47	MT	.75
3522-48	MT	1.50	3543-47	MT	.60	-48A	MT	1.00
-49	MT	1.50	-49	MT	.75	3568-47	MT	.75
-50	MT	1.75		U555		3569-47	MT	.75
3523-47	MT, CC	8.00	3544-47	MT	25.00		U568	
	UD	5.00	-48A	MT	2.50	3570-47	MT	.50
-48	MT	1.50	-49	MT	.75	-48A	MT	10.00
-49	MT	1.50		U557		3571-47	MT	.50
-50	MT	1.75	3545-47	MT	.60	-48A	MT	17.50
3524-48	MT	1.50	-48A	MT	.60	-49	MT	15.00

	U569			U580		3647-47	MT	.50
3572-49	MT	.50		3610-47	MT	-48A	MT	1.00
3573-49	MT	.75		-48A	MT	-49	MT	.50
3574-48A	MT	25.00		3611-47	MT	3648-47	MT	.50
3575-49	MT	.60		-48A	MT	3649-48A	MT	.50
	U571			3612-47	MT	3649-49	MT	.50
3576-0	MT	.60		-49	MT	3650-47	MT	.50
3577-0	MT	.60		3613-47	MT		U597	
	U572			-48A	MT	3651-49	MT	.50
3578-0	MT	.60			U581	3651a	MT, Blue omitted	125.00
3579-0	MT	.60		3614-47	MT	3652	MT	.50
	U573			-48A	MT		U598	
3580-0	MT	.60		-49	MT	3653-48A	MT	1.00
3581-0	MT	.60		3615-47	MT	-49	MT	.75
	U574			-48A	MT	3654-48A	MT	1.00
3582-0	MT	.60		-49	MT		U599	
3583-0	MT	.60		3616-47	MT	3655-49	MT	.50
3583a	MT, brown omitted	125.00		-48A	MT, CC	3656-47	MT	2.00
	U575			3617-47	MT, CC		U592	
3584-0	MT	.60		-49	MT	3657-47	MT	.60
3585-0	MT	.60		3618-47	MT, Bar Tag	-48A	MT	.60
	U576				U586	-49	MT	.60
3586-47	MT	.60		3619-47	MT	3658-47	MT, CC	.60
-48A	MT	.60		-48A	MT	-48A	MT	1.00
-49	MT	.60		-49	MT	3659-47	MT	.60
3587-47	MT	.60		3620-48A	MT	-48A	MY	.75
-48A	MT	.75		-49	MT	3660-47	MT	.75
3589-47	MT	1.00		3621-47	MT	-49	MT	1.00
-48A	MT, CC	1.50		-49	MT		U593	
-49	MT	.60		3622-47	MT	3661-47	MT	.60
	U577				U587	-48A	MT	.60
3590-48A	MT	.60		3625-49	MT	-49	MT	.60
-49	MT	1.50		3625a	MT, missing black	3662-47	MT	.60
3591-47	MT	1.50			U588	-49	MT	.75
-48A	MT	.75		3627-47	MT	3664-49	MT, CC	.60
-49	MT	1.50		-48A	MT	3679a	MT, blue omitted	
	U578			-49	MT		black ink spot LR	90.00
3592-47	MT	.75		3628-47	MT		U608	
-48A	MT	.75		3629-47	MT	3694-47	MT	.60
-49	MT	3.00		-48A	MT		U609	
3593-47	MT	.75		-49	MT	3704	UD	35.00
-48A	MT	1.50		3630-47	MT	3726a-50	Missing Black	450.00
-49	MT	.75		-48A	MT			
	U579			-49	MT			
3594-47	MT	1.50		3631-49	MT			
-48A	MT	.75		3632-49	MT			
3595-47	MT	.75		3633-49	MT			
48A	MT	1.00		3634-49	MT			
	U582				U596			
3596-48A	MT	30.00		3635-49	MT			
	UD	15.00		3636-49	MT			
-49	MT	.75			U589			
3596a-49	MT	3.00		3637-47	MT			
3597-47	MT	1.50		-48A	MT			
	U583			-49	MT			
3598-49	MT	.75		3638-48A	MT			
3599-49	MT	.75		3639-47	MT			
3601-49	MT	.75		-48A	MT, CC			
3601c-49	MT	150.00		-49	MT			
	U584			3640-49	MT			
3602-49	MT	.50			U590			
3603-49	MT	.60		3641-48A	MT			
3604-49	MT	.60			UD			
3605-49	MT	.70		-49	MT			
	U585			3642-49	MT			
3606-49	MT	.50		3643-48A	MT			
3607-49	MT	.60		3644-49	MT			
	U585			3645	MT, CC, TA as always			
3608-49	MT	.60						400.00
3609-49	MT	.70			U591			